



## Cumulative Contents

## Information for Contributors

vii

## Subsection Signal Transduction

## Rapid report

- RAB GTPases expressed in human melanoma cells  
D. Chen, J. Guo and W.A. Gahl (USA)

1

## Regular papers

- Improved oligonucleotide uptake and stability by a new drug carrier, the SupraMolecular BioVector (SMBV)

M. Berton, S. Sixou, R. Kravtsoff, C. Dartigues, L. Imbertie, C. Allal and G. Favre (France)

7

- Differential expression of membrane-anchored proteoglycans in rabbit articular chondrocytes cultured in monolayers and in alginate beads. Effect of transforming growth factor- $\beta$ 1

F. Rédini, W. Min, M. Demoor-Fossard, M. Boittin and J.-P. Pujol (France)

20

- Conductive  $\text{Na}^+$  transport in fetal lung alveolar apical membrane vesicles is regulated by fatty acids and G proteins

G.K. Fyfe, P.J. Kemp and R.E. Olver (UK)

33

- Modulation of cytokine production by human mononuclear cells following impairment of  $\text{Na,K-ATPase}$  activity

A.D. Foey, A. Crawford and N.D. Hall (UK)

43

- Re-investigation of glucose metabolism in *Fibrobacter succinogenes*, using NMR spectroscopy and enzymatic assays. Evidence for pentose phosphates phosphoketolase and pyruvate formate lyase activities

C. Matheron, A.-M. Delort, G. Gaudet and E. Forano (France)

50

- Caffeine decreases intracellular free  $\text{Mg}^{2+}$  in isolated adult rat ventricular myocytes

H.-y. Li and G.A. Quamme (Canada)

61

## Regular papers

- Studies on ether-phospholipids of vascular smooth muscle cells. Identification of a rapid  $\text{Ca}^{2+}$ -dependent hydrolysis of alkyl-phosphatidylethanolamine promoted by endothelin-1

C. Comminges, V. Georgeaud, E. Maury, C. Cariven, M.-C. Prévost and H. Chap (France)

69

- Effects of U73122 and U73343 on human platelet calcium signalling and protein tyrosine phosphorylation

J.W.M. Heemskerk, R.W. Farndale and S.O. Sage (The Netherlands, UK)

81

- $\text{Ca}^{2+}$  release and  $\text{Ca}^{2+}$  influx in Chinese hamster ovary cells expressing the cloned mouse  $\text{B}_2$  bradykinin receptor: tyrosine kinase inhibitor-sensitive and -insensitive processes

M. Taketo, S. Yokoyama, Y. Kimura and H. Higashida (Japan)

89

## Information for Contributors

vii

## Rapid reports

- Oocyte and zygote ketoaldehyde utilisation

M. Legge (New Zealand)

99

- Manganese-dependent Dopa/tyrosine sulfation in HepG2 human hepatoma cells: novel Dopa/tyrosine sulfotransferase activities associated with the human monoamine-form phenol sulfotransferase

Y. Sakakibara, J. Katafuchi, Y. Takami, T. Nakayama, M. Suiko, H. Nakajima and M.-C. Liu (USA, Japan)

102

## Regular papers

- The C-terminus of glycosylphosphatidylinositol-specific phospholipase D is essential for biological activity

- B. Stadelmann, P. Bütikofer, A. König and U. Brodbeck (Switzerland)* 107
- Inhibition of NADH oxidase activity and growth of HeLa cells by the antitumor sulfonylurea, *N*-(4-methylphenylsulfonyl)-*N'*-(4-chlorophenyl)urea (LY181984) and response to epidermal growth factor
- D.J. Morré, L.-Y. Wu and D.M. Morré (USA)* 114
- Leukemia inhibitory factor induces the 85-kDa cytosolic phospholipase A<sub>2</sub> gene expression in cultured human bronchial epithelial cells
- T. Ikezono, T. Wu, X.-L. Yao, S. Levine, C. Logun, C.W. Angus and J.H. Shelhamer (USA)* 121
- A possible dual physiological role of extracellular ATP in the modulation of platelet aggregation
- G. Soslau and D. Youngprapakorn (USA)* 131
- 8-Bromo-cAMP induces a proliferative response in an IL-3 dependent leukemic cell line and activates Erk1,2 via a Shc-independent pathway
- R.M.Y. Barge, J.H.F. Falkenburg, R. Willemze and J.A. Maassen (The Netherlands)* 141
- The main neutral aminopeptidase activity of human lymphoid tumour cell lines does not originate from the aminopeptidase N-(APN; CD13) gene
- T. Wex, U. Lendeckel, T. Kähne, A. Ittenson, K. Frank and S. Ansorge (Germany)* 147
- Subsection Signal Transduction*
- Regular papers*
- Protein tyrosine kinase, mitogen-activated protein kinase and protein kinase C are involved in the mitogenic signaling of platelet-activating factor (PAF) in HEC-1A cells
- L. Bonaccorsi, M. Luconi, M. Maggi, M. Muratori, G. Forti, M. Serio and E. Baldi (Italy)* 155
- Insulin and insulin-like growth factor-I responsiveness and signalling mechanisms in C<sub>2</sub>C<sub>12</sub> satellite cells: effect of differentiation and fusion
- R.M. Palmer, M.G. Thompson, R.M. Knott, G.P. Campbell, A. Thom and K.S. Morrison (UK)* 167
- Identification of the major sites of autophosphorylation of the murine protein-tyrosine kinase Syk
- M.T. Furlong, A.M. Mahrenholz, K.-H. Kim, C.L. Ashendel, M.L. Harrison and R.L. Geahlen (USA)* 177
- Potassium conductances and proliferation in conditionally immortalized renal glomerular mesangial cells from the *H-2K<sup>b</sup>*-tsA58 transgenic mouse
- R.D. Barber, A.S. Woolf and R.M. Henderson (UK)* 191
- Information for Contributors* vii
- Short sequence-paper*
- Molecular cloning and sequence analysis of the cDNA for the mouse counterpart to adult hamster liver purified growth inhibitory factor
- C. Hashimoto, H. Masuda, M. Ayaki, Y. Suzuki, A. Uenaka, T. Seya, J. Miyoshi, K. Takahashi and Y. Inui (Japan)* 205
- Review*
- TGN38 and its orthologues: roles in post-TGN vesicle formation and maintenance of TGN morphology
- G. Banting and S. Ponnambalam (UK)* 209
- Regular papers*
- Inhibition of tyrosine kinase activity decreases expression of surfactant protein A in a human lung adenocarcinoma cell line independent of epidermal growth factor receptor
- J.M. Klein and T.A. McCarthy (USA)* 218
- Nickel is a specific antagonist for the catabolism of activated α<sub>2</sub>-macroglobulin
- R.K. Kancha and M.M. Hussain (USA)* 231
- Calcium spirulan as an inducer of tissue-type plasminogen activator in human fetal lung fibroblasts
- Y. Hayakawa, T. Hayashi, K. Hayashi, T. Ozawa, K. Niiya and N. Sakuragawa (Japan)* 241
- Reduction of histone cytotoxicity by the Alzheimer β-amyloid peptide precursor
- J.R. Currie, M.-C. Chen-Hwang, R. Denman, M. Smedman, A. Potempska, N. Ramakrishna, R. Rubenstein, H.M. Wisniewski and D.L. Miller (USA)* 248
- Selenium: potent stimulator of tyrosyl phosphorylation and activator of MAP kinase
- S.R. Stapleton, G.L. Garlock, L. Foellmi-Adams and R.F. Kletzien (USA)* 259
- Phospholipase A<sub>2</sub> has a role in proliferation but not in differentiation of HL-60 cells
- Y. Liu and R. Levy (Israel)* 270
- Identification of novel human tumor cell-specific CaMK-II variants
- R.M. Tombes and G.W. Krystal (USA)* 281

- Uptake and intracellular stability of glycosylphosphatidylinositol-specific phospholipase D in neuroblastoma cells  
*T. Hari, P. Bütikofer, U.N. Wiesmann and U. Brodbeck (Switzerland)* 293

- Characterization of a cartilage-derived 66-kDa protein (RGD-CAP/ $\beta$ ig-h3) that binds to collagen  
*K. Hashimoto, M. Noshiro, S. Ohno, T. Kawamoto, H. Satakeda, Y. Akagawa, K. Nakashima, A. Okimura, H. Ishida, T. Okamoto, H. Pan, M. Shen, W. Yan and Y. Kato (Japan)* 303

### Subsection Signal Transduction

#### Regular papers

- Half-life of interleukin-1 $\beta$ -induced group II phospholipase A<sub>2</sub> in rat mesangial cells  
*M.J.B.M. Vervoordeldonk, G.S.A.T. Van Rossum, R.M. Sanchez, F.W. Neys and H. Van den Bosch (The Netherlands)* 315
- Myosin light chain kinase phosphorylation in nitrovasodilator induced swine carotid artery relaxation

- D.A. Van Riper, N.L. McDaniel and C.M. Rembold (USA)* 323

- Suppression of the voltage-gated K<sup>+</sup> current of human megakaryocytes by thrombin and prostacyclin  
*L. Kapural and A. Fein (USA)* 331

- Phosphotyrosine phosphatase activity in the macrophage is enhanced by lipopolysaccharide, tumor necrosis factor  $\alpha$ , and granulocyte/macrophage-colony stimulating factor: correlation with priming of the respiratory burst  
*S. Bassal, Y.S. Liu, R.J.S. Thomas and W.A. Phillips (Australia)* 343

- Redox regulation of the mitogen-activated protein kinase pathway during lymphocyte activation  
*S.D. Goldstone and N.H. Hunt (Australia)* 353

- Cumulative Contents, Vol. 1355* 361

- Author Index* 364

